

SPEAKER_NOTES.md - git

Speaker Notes for the 2016-01-09 Software Carpentry git lesson

TYPE ALL EXAMPLES AS YOU GO. THIS KEEPS THE SPEED SANE, AND ALLOWS YOU TO EXPLAIN EVERY STEP.

START SLIDES WITH `reveal-md slides.md --theme=white`

Version control with `git`

SLIDE (Version control with `git`)

- Build good software engineering **habits** (needs repetition and practice)
- **Transferable skill**: what's good for software also good for other documents

SLIDE (Etherpad)

- Share code snippets
- Ask/answer questions
- Communal note-taking

SLIDE (Let me tell you a story)

SLIDE (Once upon a time)

- Talk around slide

SLIDE (Advantage of version control)

- Talk around slide
- credit and blame?

SLIDE (Version control with `git`)

SLIDE (What lies ahead)

- Talk around slide
- Who has used `git`
- Who has heard about `git` but not used it?
- Who's heard horror stories about `git` ?
- `git` actually elegant and powerful - some truth in jokes, though
- SWC focus more on *version control*, just that `git` is the tool we're using

SLIDE (Learning objectives)

- Talk around slide

SLIDE (Do you recognise this?)

- Talk around slide
- **Things get much more complicated when more people are involved**
- **Ask the audience**
 - Who has been in that situation?
 - Fundamental problems:
 - synchronising changes
 - tracking change times
 - How do you get round it?
 - MS Office: track changes
 - Office 365: simultaneous edits?
 - DropBox: now locks files in use
 - Google Docs: simultaneous editing - but for code?
- **Version control systems are a solution to this**
 - Excellent for code
 - Useful for most activities
- **How version control works**
 - Keeps only one document
 - Saves records of all changes made to the document
 - Who made the changes, and when
 - Can reconstruct the entire editing history

SLIDE (How version control works)

- Talk around slide
- **for mathematicians!**
 - can treat original document as a value (d)
 - changes are then functions, acting on that value, e.g. $f(d)$
 - functions can be compounded: $g(f(d))$
- **draw on whiteboard?**

SLIDE (Multiple editors - branching)

- Talk around slide
- **for mathematicians**
 - $f(d) \neq g(d)$

SLIDE (Combining changes - merging)

- Talk around slide
- **for mathematicians**
 - $h(f(d), g(d))$

SLIDE (What version control systems do)

- Talk around slide
- *commits* are not exactly *changes* - more like checkpoints

Setting up `git`

SLIDE (Setting up `git`)

SLIDE (Learning objectives)

- Talk around slide

SLIDE (Setting global options)

- Talk around slide
- **`git` command structure**
 - `git <command> <options>`
 - i.e. `git verb options`
 - The name and email address will be associated with all our actions in `git`
 - It's helpful to have some colour to interpret `git` output
 - The `--global` flag means that every project on the computer will see these settings
- **Use your own name and email address!**

```
1 | lpritc@Totoro:~$ git config --global user.name "Leighton Pritchard"
2 | lpritc@Totoro:~$ git config --global user.email "leighton.pritchard@hutton.ac.uk"
3 | lpritc@Totoro:~$ git config --global color.ui "auto"
4 | lpritc@Totoro:~$ git config --global core.editor "nano -w"
5 | (git config --global core.editor "'C:\Program Files (x86)\Notepad++\notepad++.exe' \
6 |                               -multiInst -notabbar -nosession -noPlugin")
```

- **Check settings at any time**

- You can reset these settings at any point
- check with `git config --list`

```
1 | lpritic@Totoro:~$ git config --list
2 | user.name=Leighton Pritchard
3 | user.email=leighton.pritchard@hutton.ac.uk
4 | push.default=simple
5 | color.ui=auto
6 | core.editor=emacs
```

Creating a repository

SLIDE (Creating a repository)

SLIDE (Learning objectives)

- Talk around slide

SLIDE (Creating a `git` repository)

- Talk around slide
- **Create a new directory to hold the project**
 - Create it somewhere convenient for you

```
1 | lpritic@Totoro:~$ cd
2 | lpritic@Totoro:~$ mkdir planets
3 | lpritic@Totoro:~$ cd planets
4 | lpritic@Totoro:planets$
```

- point out that we are in `planets` - maybe do an `ls`

- **Make this directory a repository**

```
1 | lpritic@Totoro:planets$ git init
2 | Initialized empty Git repository in /Users/lpritic/planets/.git/
3 | lpritic@Totoro:planets$ ls
4 | lpritic@Totoro:planets$ ls -a
5 | ./  ../  .git/
```

- Nothing appears to have changed, at first
- Using `ls -a` shows the hidden `.git` subdirectory
- All information about the repository is stored in this subdirectory

- **Check all is well**

- Get a report on repository status
- We have not added or committed any files, so we get this statement
- Describe `master` branch - default

```
1 | lprirc@Totoro:planets$ git status
2 | # On branch master
3 | #
4 | # Initial commit
5 | #
6 | nothing to commit (create/copy files and use "git add" to track)
```

Tracking changes

SLIDE (Tracking changes)

SLIDE (Learning objectives)

- Talk around slide

My first `git` commit

SLIDE (My first untracked file)

- Talk around slide
- **Create a file**
 - We'll be discussing Mars' suitability as a base
 - Add some suitable text and save the file

```
1 | lprirc@Totoro:planets$ nano mars.txt
2 | Cold and dry. Everything a nice colour. Matt Damon.
3 | lprirc@Totoro:planets$ ls
4 | mars.txt
5 | lprirc@Totoro:planets$ cat mars.txt
6 | Cold and dry. Everything a nice colour. Matt Damon.
```

- We now have a single file in this directory
- **Check repository status**
 - Use `git status` to see what `git` thinks.

```

1 | lpritc@Totoro:planets$ git status
2 | # On branch master
3 | #
4 | # Initial commit
5 | #
6 | # Untracked files:
7 | #   (use "git add <file>..." to include in what will be committed)
8 | #
9 | #   mars.txt
10 | nothing added to commit but untracked files present (use "git add" to track)

```

- It has noticed that the file exists
- Git says it is not 'tracking' the file - i.e. not recording changes

SLIDE (My first `git` commit)

- Talk around slide
- **Tell `git` to track the file**

```

1 | lpritc@Totoro:planets$ git add mars.txt
2 | lpritc@Totoro:planets$ git status
3 | # On branch master
4 | #
5 | # Initial commit
6 | #
7 | # Changes to be committed:
8 | #   (use "git rm --cached <file>..." to unstage)
9 | #
10 | #   new file:   mars.txt
11 | #

```

- Git sees the new file as a 'change' that is not yet committed
- The changes are **STAGED**
- **Commit the file to the repository**
 - Committing the change to the repository stores it
 - We add a message to keep notes on changes
 - short (<50 char) imperative one-liner
 - details in a second text block
 - We commit *all* current changes simultaneously
 - Note the short identifier for this commit

```

1 | lpritc@Totoro:planets$ git commit -m "Start notes on Mars as a base"
2 | [master (root-commit) d22195b] Start notes on Mars as a base
3 | 1 file changed, 2 insertions(+)
4 | create mode 100644 mars.txt
5 | lpritc@Totoro:planets$ git status
6 | # On branch master
7 | nothing to commit, working directory clean

```

- Use `git log` to see the history

- `git log` shows commits in reverse chronological order
- Note the full identifier for this commit
- The log message is also included
- Only the file exists in the current working directory - all the log information etc. is in `.git`

```

1 | lpritc@Totoro:planets$ git log
2 | commit d22195b9ec3c8fb4c2ce0f52f344b95ce5d0d0e3
3 | Author: Leighton Pritchard <leighton.pritchard@hutton.ac.uk>
4 | Date: Fri Jan 8 16:05:57 2016 +0000
5 | Start notes on Mars as a base
6 | lpritc@Totoro:planets$ ls
7 | mars.txt

```

SLIDE (The staging area)

- Talk around slide

modify-add-commit

SLIDE (modify-add-commit)

- Talk around slide
- **Make some changes to the file**

```

1 | lpritc@Totoro:planets$ nano mars.txt
2 | lpritc@Totoro:planets$ cat mars.txt
3 | Cold and dry. Everything a nice colour. Matt Damon.
4 | Two moons. This may be an issue for werewolves!
5 | lpritc@Totoro:planets$ git status
6 | # On branch master
7 | # Changes not staged for commit:
8 | #   (use "git add <file>..." to update what will be committed)
9 | #   (use "git checkout -- <file>..." to discard changes in working directory)
10 | #
11 | #   modified:   mars.txt
12 | #
13 | no changes added to commit (use "git add" and/or "git commit -a")

```

- `git` tracks `mars.txt` so sees the changes are made
- Changed file is "not staged for commit"

- **Inspect changes since last commit**

- `git diff` notes differences between the current version of the file in the working directory, and the latest in the repository

```
1 | lpriti@Totoro:planets$ git diff
2 | diff --git a/mars.txt b/mars.txt
3 | index 87b4a99..96b2def 100644
4 | --- a/mars.txt
5 | +++ b/mars.txt
6 | @@ -1,2 +1,2 @@
7 | Cold and dry. Everything a nice colour. Matt Damon.
8 | -
9 | +Two moons. This may be an issue for werewolves!
```

- Line 1: output is similar to `diff` command
- Line 2: unique identifiers for files being compared
- Lines 3,4: which versions are compared (a: repo; b: directory)
- The rest of the lines show what the differences are between the files (-: lines removed; +: lines added)

- **Commit the change**

- `git` won't let us commit without staging (with `git add`)
- We don't always want to commit all changes to all files at the same time

```
1 | lpriti@Totoro:planets$ git commit -m "Lycanthropy concerns"
2 | # On branch master
3 | # Changes not staged for commit:
4 | #   (use "git add <file>..." to update what will be committed)
5 | #   (use "git checkout -- <file>..." to discard changes in working directory)
6 | #
7 | #   modified:   mars.txt
8 | #
9 | no changes added to commit (use "git add" and/or "git commit -a")
```

- **Stage the changes, then commit**

```
1 | lpriti@Totoro:planets$ git add mars.txt
2 | lpriti@Totoro:planets$ git commit -m "add lycanthrope concerns"
3 | [master ea59e91] add lycanthrope concerns
4 | 1 file changed, 1 insertion(+), 1 deletion(-)
```

- **Check the log**


```
1 lpritic@Totoro:planets$ git log
2 commit ea59e9169633eb7f9083ee79c2cc7ebf20efaf98
3 Author: Leighton Pritchard <leighton.pritchard@hutton.ac.uk>
4 Date: Fri Jan 8 16:18:55 2016 +0000
5     add lycanthrope concerns
6 commit d22195b9ec3c8fb4c2ce0f52f344b95ce5d0d0e3
7 Author: Leighton Pritchard <leighton.pritchard@hutton.ac.uk>
8 Date: Fri Jan 8 16:05:57 2016 +0000
9     start notes on Mars as a base
```

- **Stage another change**

- This time, we won't do `git diff` until after staging

```
1 lpritic@Totoro:planets$ nano mars.txt
2 lpritic@Totoro:planets$ cat mars.txt
3 Cold and dry. Everything a nice colour. Matt Damon.
4 Two moons. This may be an issue for werewolves!
5 Not much atmosphere, mind.
6 lpritic@Totoro:planets$ git add mars.txt
7 lpritic@Totoro:planets$ git diff
```

- The file has changed, but `git diff` doesn't show this

- **Use the `--staged` flag**

- We need `git diff --staged` to see staged file differences

```
1 lpritic@Totoro:planets$ git diff --staged
2 diff --git a/mars.txt b/mars.txt
3 index 96b2def..919cb89 100644
4 --- a/mars.txt
5 +++ b/mars.txt
6 @@ -1,2 +1,3 @@
7     Cold and dry. Everything a nice colour. Matt Damon.
8     Two moons. This may be an issue for werewolves!
9 +Not much atmosphere, mind.
```

- Commit the change

```

1 | lpritic@Totoro:planets$ git commit -m "Climate issues"
2 | [master 43faba5] Climate issues
3 | 1 file changed, 1 insertion(+)
4 | lpritic@Totoro:planets$ git log
5 | commit 43faba5250cf67208f16e94f143a270f584a2e1b
6 | Author: Leighton Pritchard <leighton.pritchard@hutton.ac.uk>
7 | Date: Fri Jan 8 16:27:29 2016 +0000
8 |     Climate issues
9 | commit ea59e9169633eb7f9083ee79c2cc7ebf20efaf98
10 | Author: Leighton Pritchard <leighton.pritchard@hutton.ac.uk>
11 | Date: Fri Jan 8 16:18:55 2016 +0000
12 |     Lycanthropy concerns
13 | commit d22195b9ec3c8fb4c2ce0f52f344b95ce5d0d0e3
14 | Author: Leighton Pritchard <leighton.pritchard@hutton.ac.uk>
15 | Date: Fri Jan 8 16:05:57 2016 +0000
16 |     Start notes on Mars as a base

```

- Check repository status

```

1 | lpritic@Totoro:planets$ git status
2 | # On branch master
3 | nothing to commit, working directory clean

```

SLIDE (Question)

1. would only commit if files were staged
2. would try to create a new repo
3. solution
4. would try to commit a file `"my recent changes"` with the message `myfile.txt`

SLIDE (Challenge 1)

Solution:

```

1 | lpritic@Totoro:planets$ nano mars.txt
2 | lpritic@Totoro:planets$ cat mars.txt
3 | Cold and dry. Everything a nice colour. Matt Damon.
4 | Two moons. This may be an issue for werewolves!
5 | Not much atmosphere, mind.
6 | A bit dusty. Bring a Hoover.
7 | lpritic@Totoro:planets$ nano earth.txt
8 | lpritic@Totoro:planets$ cat earth.txt
9 | Mostly harmless
10 | lpritic@Totoro:planets$ git status
11 | # On branch master
12 | # Changes not staged for commit:
13 | #   (use "git add <file>..." to update what will be committed)
14 | #   (use "git checkout -- <file>..." to discard changes in working directory)
15 | #

```

```

16 #   modified:   mars.txt
17 #
18 # Untracked files:
19 #   (use "git add <file>..." to include in what will be committed)
20 #
21 #   earth.txt
22 no changes added to commit (use "git add" and/or "git commit -a")
23 lpritic@Totoro:planets$ git add mars.txt
24 lpritic@Totoro:planets$ git add earth.txt
25 lpritic@Totoro:planets$ git status
26 # On branch master
27 # Changes to be committed:
28 #   (use "git reset HEAD <file>..." to unstage)
29 #
30 #   new file:   earth.txt
31 #   modified:   mars.txt
32 #
33 lpritic@Totoro:planets$ git commit -m "Hoover needed. Ignore Earth."
34 [master 1f4de17] Hoover needed. Ignore Earth.
35   2 files changed, 2 insertions(+)
36   create mode 100644 earth.txt
37 lpritic@Totoro:planets$ git status
38 # On branch master
39 nothing to commit, working directory clean
40 lpritic@Totoro:planets$ git log
41 commit 1f4de17dc72c3ba0746e9e6a33b39f8f7e9fd75
42 Author: Leighton Pritchard <leighton.pritchard@hutton.ac.uk>
43 Date:   Fri Jan 8 16:34:09 2016 +0000
44     Hoover needed. Ignore Earth.
45 commit 43faba5250cf67208f16e94f143a270f584a2e1b
46 Author: Leighton Pritchard <leighton.pritchard@hutton.ac.uk>
47 Date:   Fri Jan 8 16:27:29 2016 +0000
48     Climate issues
49 commit ea59e9169633eb7f9083ee79c2cc7ebf20efaf98
50 Author: Leighton Pritchard <leighton.pritchard@hutton.ac.uk>
51 Date:   Fri Jan 8 16:18:55 2016 +0000
52     Lycanthropy concerns
53 commit d22195b9ec3c8fb4c2ce0f52f344b95ce5d0d0e3
54 Author: Leighton Pritchard <leighton.pritchard@hutton.ac.uk>
55 Date:   Fri Jan 8 16:05:57 2016 +0000
56     Start notes on Mars as a base

```

- To show files in a commit: `git show --pretty="" --name-only`

SLIDE (The Modify-Add-Commit lifecycle)

- Talk around slide

SLIDE (In which I predict the future)

- Talk around slide
- Can be difficult to think of commit messages
- Good practice: short messages < 50 chars, imperative
- Good practice: detail in longer paragraph(s) as secondary message

Exploring history

SLIDE (Exploring history)

SLIDE (Is history bunk?)

- Talk around slide

SLIDE (Learning objectives)

- Talk around slide

SLIDE (Commit history)

- Talk around slide

SLIDE (History with `git diff`)

- Talk around slide
 - **See differences between named commits**
-

```

1 | lpritic@Totoro:planets$ git diff HEAD~1 mars.txt
2 | diff --git a/mars.txt b/mars.txt
3 | index 919cb89..dfd5875 100644
4 | --- a/mars.txt
5 | +++ b/mars.txt
6 | @@ -1,3 +1,4 @@
7 | Cold and dry. Everything a nice colour. Matt Damon.
8 | Two moons. This may be an issue for werewolves!
9 | Not much atmosphere, mind.
10 | +A bit dusty. Bring a Hoover.
11 | lpritic@Totoro:planets$ git diff HEAD~2 mars.txt
12 | diff --git a/mars.txt b/mars.txt
13 | index 96b2def..dfd5875 100644
14 | --- a/mars.txt
15 | +++ b/mars.txt
16 | @@ -1,2 +1,4 @@
17 | Cold and dry. Everything a nice colour. Matt Damon.
18 | Two moons. This may be an issue for werewolves!
19 | +Not much atmosphere, mind.
20 | +A bit dusty. Bring a Hoover.

```

SLIDE (History with commit IDs)

- Talk around slide
- **Get IDs with `git log`**
 - `git log --pretty=oneline`
 - Use a long ID in same way as above
 - We don't want to have to type out 40char IDs all the time
 - Use two short IDs (different lengths)

```

1 | lpritic@Totoro:planets$ git log
2 | commit 1f4de176dc72c3ba0746e9e6a33b39f8f7e9fd75
3 | Author: Leighton Pritchard <leighton.pritchard@hutton.ac.uk>
4 | Date: Fri Jan 8 16:34:09 2016 +0000
5 | Hoover needed. Ignore Earth.
6 | commit 43faba5250cf67208f16e94f143a270f584a2e1b
7 | Author: Leighton Pritchard <leighton.pritchard@hutton.ac.uk>
8 | Date: Fri Jan 8 16:27:29 2016 +0000
9 | Climate issues
10 | commit ea59e9169633eb7f9083ee79c2cc7ebf20efaf98
11 | Author: Leighton Pritchard <leighton.pritchard@hutton.ac.uk>
12 | Date: Fri Jan 8 16:18:55 2016 +0000
13 | Lycanthropy concerns
14 | commit d22195b9ec3c8fb4c2ce0f52f344b95ce5d0d0e3
15 | Author: Leighton Pritchard <leighton.pritchard@hutton.ac.uk>
16 | Date: Fri Jan 8 16:05:57 2016 +0000
17 | Start notes on Mars as a base

```

```

17  Start notes on mars as a base
18  lpritic@Totoro:planets$ git diff d22195b9ec3c8fb4c2ce0f52f344b95ce5d0d0e3 mars.txt
19  diff --git a/mars.txt b/mars.txt
20  index 87b4a99..dfd5875 100644
21  --- a/mars.txt
22  +++ b/mars.txt
23  @@ -1,2 +1,4 @@
24   Cold and dry. Everything a nice colour. Matt Damon.
25  -
26  +Two moons. This may be an issue for werewolves!
27  +Not much atmosphere, mind.
28  +A bit dusty. Bring a Hoover.
29  lpritic@Totoro:planets$ git diff d221 mars.txt
30  diff --git a/mars.txt b/mars.txt
31  index 87b4a99..dfd5875 100644
32  --- a/mars.txt
33  +++ b/mars.txt
34  @@ -1,2 +1,4 @@
35   Cold and dry. Everything a nice colour. Matt Damon.
36  -
37  +Two moons. This may be an issue for werewolves!
38  +Not much atmosphere, mind.
39  +A bit dusty. Bring a Hoover.
40  lpritic@Totoro:planets$ git diff 43faba mars.txt
41  diff --git a/mars.txt b/mars.txt
42  index 919cb89..dfd5875 100644
43  --- a/mars.txt
44  +++ b/mars.txt
45  @@ -1,3 +1,4 @@
46   Cold and dry. Everything a nice colour. Matt Damon.
47   Two moons. This may be an issue for werewolves!
48   Not much atmosphere, mind.
49  +A bit dusty. Bring a Hoover.

```

Restoring older versions

SLIDE (Restoring older versions)

- Talk around slide
- **Accidentally overwrite a file**

```

1  lpritic@Totoro:planets$ nano mars.txt
2  lpritic@Totoro:planets$ cat mars.txt
3  POTATOES!

```

- Once overwritten, `git status` says the changes were made, but not staged.

```
1 | lpritic@Totoro:planets$ git status
2 | # On branch master
3 | # Changes not staged for commit:
4 | #   (use "git add <file>..." to update what will be committed)
5 | #   (use "git checkout -- <file>..." to discard changes in working directory)
6 | #
7 | #   modified:   mars.txt
8 | #
9 | no changes added to commit (use "git add" and/or "git commit -a")
```

- **Restore the last commit**

- Use `git checkout HEAD`
- No file named: `git` warns you
- Name the file, `git` thinks you mean it!

```
1 | lpritic@Totoro:planets$ git checkout HEAD mars.txt
2 | lpritic@Totoro:planets$ cat mars.txt
3 | Cold and dry. Everything a nice colour. Matt Damon.
4 | Two moons. This may be an issue for werewolves!
5 | Not much atmosphere, mind.
6 | A bit dusty. Bring a Hoover.
```

SLIDE (`git checkout`)

- Talk around slide

SLIDE (Question)

Solution: 2 & 4

1. will not overwrite (will warn)
2. solution
3. will overwrite `data-cruncher.py` with the change before last
4. solution

Ignoring things

SLIDE (Ignoring things)

SLIDE (Learning objectives)

- Talk around slide
- **Ask the audience** - which files would you ignore?

SLIDE (Not all files are useful)

- Talk around slide
- **Create dummy files**
 - Create dummy files and subdirectory

```
1 | lprirc@Totoro:planets$ mkdir results
2 | lprirc@Totoro:planets$ touch a.dat b.dat c.dat results/a.out results/b.out
3 | lprirc@Totoro:planets$ ls
4 | a.dat      b.dat      c.dat      earth.txt  mars.txt   results/
5 | lprirc@Totoro:planets$ ls results/
6 | a.out  b.out
```

- These files are no use to us
- `git` says they're not being tracked
- `git` doesn't tell us about contents of untracked directories

```
1 | lprirc@Totoro:planets$ git status
2 | # On branch master
3 | # Untracked files:
4 | #   (use "git add <file>..." to include in what will be committed)
5 | #
6 | #   a.dat
7 | #   b.dat
8 | #   c.dat
9 | #   results/
10 | nothing added to commit but untracked files present (use "git add" to track)
```

SLIDE (`.gitignore`)

- Talk around slide
- **Create `.gitignore` file**
 - Two patterns: `*.dat` , `results/` (all files below this point)


```

1 | lpritic@Totoro:planets$ nano .gitignore
2 | lpritic@Totoro:planets$ cat .gitignore
3 | # Exclude all files ending in .dat
4 | *.dat
5 | # Exclude all files below results/
6 | results/
7 | lpritic@Totoro:planets$ git status
8 | # On branch master
9 | # Untracked files:
10 | #   (use "git add <file>..." to include in what will be committed)
11 | #
12 | #   .gitignore
13 | nothing added to commit but untracked files present (use "git add" to track)

```

- `git` now ignores the new files, but notices `.gitignore`

- **Commit `.gitignore`**

```

1 | lpritic@Totoro:planets$ git add .gitignore
2 | lpritic@Totoro:planets$ git commit -m "add .gitignore file"
3 | [master f0232b1] Added .gitignore file
4 | 1 file changed, 5 insertions(+)
5 | create mode 100644 .gitignore
6 | lpritic@Totoro:planets$ git status
7 | # On branch master
8 | nothing to commit, working directory clean

```

- **List ignored files**

```

1 | lpritic@Totoro:planets$ git status --ignored
2 | # On branch master
3 | # Ignored files:
4 | #   (use "git add -f <file>..." to include in what will be committed)
5 | #
6 | #   a.dat
7 | #   b.dat
8 | #   c.dat
9 | #   results/
10 | nothing to commit, working directory clean

```

- **Add an ignored file**

- `git` will refuse
- Can override with `-f`, `--force`

```
1 | lpriTC@Totoro:planets$ git add b.dat
2 | The following paths are ignored by one of your .gitignore files:
3 | b.dat
4 | Use -f if you really want to add them.
5 | fatal: no files added
```

Remotes in GitHub

SLIDE (Remotes in GitHub)

SLIDE (Learning objectives)

- Talk around slide

SLIDE (Remote repositories)

- Talk around slide

SLIDE (GitHub Saved My Life!)

- Talk around slide

SLIDE (Log in to GitHub)

- Talk around slide

SLIDE (Create a remote repository)

- **Create new repository**

- `+(create new) -> New Repository`
- Repository name: `planets`
- `Create repository`
- We then see a page of quick setup hints

SLIDE (A freshly-made GitHub repository)

- Talk around slide

SLIDE (Connecting local and remote repositories)

- Talk around slide

- **Get remote repository URL**

- Copy the `https://` link
 - Add the remote repository (`git remote add origin`)
-

```
1 | lpriti@Totoro:planets$ git remote add origin https://github.com/widdowquinn/planets.g
```

- Check it worked (`git remote -v`)

```
1 | lpriti@Totoro:planets$ git remote -v
2 | origin https://github.com/widdowquinn/planets.git (fetch)
3 | origin https://github.com/widdowquinn/planets.git (push)
```

- **Push to remote repo**

- `master` refers to the *branch* we're on

```
1 | lpriti@Totoro:planets$ git push origin master
2 | Username for 'https://github.com': widdowquinn
3 | Password for 'https://widdowquinn@github.com':
4 | Counting objects: 16, done.
5 | Delta compression using up to 4 threads.
6 | Compressing objects: 100% (12/12), done.
7 | Writing objects: 100% (16/16), 1.48 KiB | 0 bytes/s, done.
8 | Total 16 (delta 2), reused 0 (delta 0)
9 | To https://github.com/widdowquinn/planets.git
10 | * [new branch]      master -> master
```

- Show changes on GitHub site

SLIDE (Remote GitHub repo after first push)

- Talk around slide

SLIDE (My first remote *pull*)

- Talk around slide

- **Pull from remote repo**

- `git` confirms we're up to date

```
1 | lpriti@Totoro:planets$ git pull origin master
2 | From https://github.com/widdowquinn/planets
3 | * branch      master      -> FETCH_HEAD
4 | Already up-to-date.
```

GitHub collaboration

SLIDE (GitHub collaboration)

SLIDE (Learning objectives)

- Talk around slide
- It's fine to use GitHub/other remote hosts as a personal store (even a private store)
- At some point you may want/need to collaborate - and this requires a few more skills

SLIDE (Starting a collaboration)

- **Pair off learners**
- **Demonstrate giving a colleague access**
 - `Settings -> Collaborators` - add your partner's username/ID
 - `cd` to a new directory (e.g. `tmp/`)
 - clone *your colleague's* repo
 - Check the remote repo location with `git remote -v`

```

1 bash-3.2$ cd ../../
2 bash-3.2$ mkdir lesson_collaborator
3 bash-3.2$ cd lesson_collaborator
4 bash-3.2$ git clone https://github.com/widdowquinn/planets.git
5 Cloning into 'planets'...
6 remote: Counting objects: 16, done.
7 remote: Compressing objects: 100% (9/9), done.
8 remote: Total 16 (delta 3), reused 16 (delta 3), pack-reused 0
9 Unpacking objects: 100% (16/16), done.
10 Checking connectivity... done
11 bash-3.2$ cd planets
12 bash-3.2$ git remote -v
13 origin https://github.com/widdowquinn/planets.git (fetch)
14 origin https://github.com/widdowquinn/planets.git (push)

```

SLIDE (Make a collaborative change)

- Talk around slide
- **Make a new file**

```

1 bash-3.2$ cd planets
2 bash-3.2$ nano pluto.txt
3 bash-3.2$ git status
4 # On branch master
5 # Untracked files:
6 #   (use "git add <file>..." to include in what will be committed)
7 #
8 #   pluto.txt
9 nothing added to commit but untracked files present (use "git add" to track)
10 bash-3.2$ git diff
11 bash-3.2$ cat pluto.txt
12 Not really a planet. Lovely, and all, but not a planet.

```

- **Commit the file**

```
1 bash-3.2$ git add pluto.txt
2 bash-3.2$ git commit -m "add notes on Pluto"
3 [master a416b49] add notes on Pluto
4 1 file changed, 1 insertion(+)
5 create mode 100644 pluto.txt
6 bash-3.2$ git push origin master
7 Username for 'https://github.com': widdowquinn
8 Password for 'https://widdowquinn@github.com':
9 Counting objects: 4, done.
10 Delta compression using up to 4 threads.
11 Compressing objects: 100% (3/3), done.
12 Writing objects: 100% (3/3), 331 bytes | 0 bytes/s, done.
13 Total 3 (delta 1), reused 0 (delta 0)
14 remote: Resolving deltas: 100% (1/1), completed with 1 local objects.
15 To https://github.com/widdowquinn/planets.git
16 b9cf6a3..a416b49 master -> master
17 bash-3.2$ git status
18 # On branch master
19 nothing to commit, working directory clean
```

- **Push the change to GitHub**

```
1 lpritic@Totoro:planets$ git push origin master
2 Username for 'https://github.com': widdowquinn
3 Password for 'https://widdowquinn@github.com':
4 Counting objects: 4, done.
5 Delta compression using up to 4 threads.
6 Compressing objects: 100% (2/2), done.
7 Writing objects: 100% (3/3), 316 bytes | 0 bytes/s, done.
8 Total 3 (delta 1), reused 0 (delta 0)
9 To https://github.com/widdowquinn/planets.git
10 f0232b1..4907645 master -> master
```

- Check the change on your collaborator's repo.

SLIDE (Pull a collaborator's changes)

- Talk around slide
- **View the change on your own GitHub repo as *owner*.**
 - Talk through changes on GitHub
- **Pull the new change to your repository as host**
 - Change directory to your *own* repository
 - Check it's the right one with `git remote -v`

```
1 bash-3.2$ cd ../../lesson_owner/planets/
2 bash-3.2$ git remote -v
3 origin https://github.com/widdowquinn/planets.git (fetch)
4 origin https://github.com/widdowquinn/planets.git (push)
5 bash-3.2$ git status
6 # On branch master
7 nothing to commit, working directory clean
```

- `git status` does not show remote changes
- Sync with `git pull`

```
1 bash-3.2$ git pull origin master
2 remote: Counting objects: 3, done.
3 remote: Compressing objects: 100% (2/2), done.
4 remote: Total 3 (delta 1), reused 3 (delta 1), pack-reused 0
5 Unpacking objects: 100% (3/3), done.
6 From https://github.com/widdowquinn/planets
7  * branch          master      -> FETCH_HEAD
8   b9cf6a3..a416b49 master      -> origin/master
9 Updating b9cf6a3..a416b49
10 Fast-forward
11 pluto.txt | 1 +
12 1 file changed, 1 insertion(+)
13 create mode 100644 pluto.txt
```

Resolving `git` conflicts

SLIDE (Resolving `git` conflicts)

SLIDE (Learning objectives)

- What do I do when my changes conflict with someone else's?
- Talk around slide

SLIDE (Why conflicts occur)

- Talk around slide
- `git` encourages particular ways of working
 - modular structure - small files (reusability)
 - small, incremental changes (reproducibility)
 - commits should pass all tests!
 - good planning
 - interaction/communication

SLIDE (Seriously, `git push` when done)

SLIDE (Let's make a conflict)

- Talk around the slide
- **Create the owner conflict**
 - Check you're in the right repo
 - Add a line to `mars.txt`
 - Commit and push

```
1 bash-3.2$ git remote -v
2 origin https://github.com/widdowquinn/planets.git (fetch)
3 origin https://github.com/widdowquinn/planets.git (push)
4 bash-3.2$ git status
5 # On branch master
6 nothing to commit, working directory clean
7 bash-3.2$ pwd
8 /Users/lprtc/lesson_owner/planets
9 bash-3.2$ git remote -v
10 origin https://github.com/widdowquinn/planets.git (fetch)
11 origin https://github.com/widdowquinn/planets.git (push)
12 bash-3.2$ nano mars.txt
13 bash-3.2$ cat mars.txt
14 Cold and dry. Everything a nice colour. Evidence of Matt Damon.
15 Two moons! This might be a problem for werewolves.
16 Not much atmosphere, mind. Windy.
17 Dusty. Bring a Hoover. Or a Dyson.
18 Definitely a planet. Not like that space rock, Pluto!
19 bash-3.2$ git add mars.txt
20 bash-3.2$ git commit -m "add slander against Pluto"
21 [master 9d2082c] add slander against Pluto
22 1 file changed, 1 insertion(+)
23 bash-3.2$ git push origin master
24 Username for 'https://github.com': widdowquinn
25 Password for 'https://widdowquinn@github.com':
26 Counting objects: 5, done.
27 Delta compression using up to 4 threads.
28 Compressing objects: 100% (3/3), done.
29 Writing objects: 100% (3/3), 358 bytes | 0 bytes/s, done.
30 Total 3 (delta 2), reused 0 (delta 0)
31 remote: Resolving deltas: 100% (2/2), completed with 2 local objects.
32 To https://github.com/widdowquinn/planets.git
33 a416b49..9d2082c master -> master
```

• Create the collaborator conflict

- Change to collaborator repo
- Check with `git remote -v`

- Add a line to `mars.txt`
- Commit the change

```

1 bash-3.2$ cd ../../lesson_collaborator/planets/
2 bash-3.2$ git remote -v
3 origin https://github.com/widdowquinn/planets.git (fetch)
4 origin https://github.com/widdowquinn/planets.git (push)
5 bash-3.2$ nano mars.txt
6 bash-3.2$ cat mars.txt
7 Cold and dry. Everything a nice colour. Evidence of Matt Damon.
8 Two moons! This might be a problem for werewolves.
9 Not much atmosphere, mind. Windy.
10 Dusty. Bring a Hoover. Or a Dyson.
11 This is nearly as nice a planet as Pluto. Which is DEFINITELY A PLANET!!!
12 bash-3.2$ git add mars.txt
13 bash-3.2$ git commit -m "adds praise for Pluto"
14 [master 955bfca] adds praise for Pluto
15 1 file changed, 1 insertion(+)

```

• Push the change

- As the collaborator, this should raise a conflict!

```

1 bash-3.2$ git push origin master
2 Username for 'https://github.com': widdowquinn
3 Password for 'https://widdowquinn@github.com':
4 To https://github.com/widdowquinn/planets.git
5 ! [rejected]      master -> master (fetch first)
6 error: failed to push some refs to 'https://github.com/widdowquinn/planets.git'
7 hint: Updates were rejected because the remote contains work that you do
8 hint: not have locally. This is usually caused by another repository pushing
9 hint: to the same ref. You may want to first integrate the remote changes
10 hint: (e.g., 'git pull ...') before pushing again.
11 hint: See the 'Note about fast-forwards' in 'git push --help' for details.

```

SLIDE (The conflict message)

- Talk around the slide
- local conflicts with remote, so you cannot push!
- advice from `git`: integrate remote with `git pull` before `push` ing again.

SLIDE (The conflicting changes)

- Talk around the slide
- **COMMUNICATION BETWEEN DEVELOPERS**

Resolving a conflict

SLIDE (Resolving a conflict)

- Talk around slide
- **Pull the remote changes**
 - `git` tries to merge automatically, and will if it can
 - If not, it marks the conflict in the affected file
 - `git` tells us about the problem

```
1 bash-3.2$ git pull origin master
2 remote: Counting objects: 3, done.
3 remote: Compressing objects: 100% (1/1), done.
4 remote: Total 3 (delta 2), reused 3 (delta 2), pack-reused 0
5 Unpacking objects: 100% (3/3), done.
6 From https://github.com/widdowquinn/planets
7  * branch                master      -> FETCH_HEAD
8   a416b49..9d2082c      master    -> origin/master
9 Auto-merging mars.txt
10 CONFLICT (content): Merge conflict in mars.txt
11 Automatic merge failed; fix conflicts and then commit the result.
```

- **Explain conflict syntax**

- The local change in `HEAD` is preceded by `<<<<<<<`
- Then there's a separator `=====`
- Then the remote change, followed by `>>>>>>>`
- We have to decide which change to keep (if either)

```
1 bash-3.2$ cat mars.txt
2 Cold and dry. Everything a nice colour. Evidence of Matt Damon.
3 Two moons! This might be a problem for werewolves.
4 Not much atmosphere, mind. Windy.
5 Dusty. Bring a Hoover. Or a Dyson.
6 <<<<<<< HEAD
7 This is nearly as nice a planet as Pluto. Which is DEFINITELY A PLANET!!!
8 =====
9 Definitely a planet. Not like that space rock, Pluto!
10 >>>>>>> 9d2082c3d0209af6b8e51c01993350f6014610d6
```

- **Edit the file to resolve the change**

- Until you add/commit, `git status` will warn about "unmerged paths"

```

1 bash-3.2$ nano mars.txt
2 bash-3.2$ cat mars.txt
3 Cold and dry. Everything a nice colour. Evidence of Matt Damon.
4 Two moons! This might be a problem for werewolves.
5 Not much atmosphere, mind. Windy.
6 Dusty. Bring a Hoover. Or a Dyson.
7 Definitely a planet. Not like that space rock, Pluto!
8 bash-3.2$ git status
9 # On branch master
10 # Your branch and 'origin/master' have diverged,
11 # and have 1 and 1 different commit each, respectively.
12 # (use "git pull" to merge the remote branch into yours)
13 #
14 # You have unmerged paths.
15 # (fix conflicts and run "git commit")
16 #
17 # Unmerged paths:
18 # (use "git add <file>..." to mark resolution)
19 #
20 #   both modified:    mars.txt
21 #
22 no changes added to commit (use "git add" and/or "git commit -a")

```

- **Add and commit, then push**

```

1 bash-3.2$ git add mars.txt
2 bash-3.2$ git commit -m "merged changes from GitHub"
3 [master 0581d44] merged changes from GitHub
4 bash-3.2$ git push origin master
5 Username for 'https://github.com': widdowquinn
6 Password for 'https://widdowquinn@github.com':
7 Counting objects: 8, done.
8 Delta compression using up to 4 threads.
9 Compressing objects: 100% (4/4), done.
10 Writing objects: 100% (4/4), 571 bytes | 0 bytes/s, done.
11 Total 4 (delta 2), reused 0 (delta 0)
12 remote: Resolving deltas: 100% (2/2), completed with 2 local objects.
13 To https://github.com/widdowquinn/planets.git
14    9d2082c..0581d44  master -> master

```

- **Change back to your host repo, and pull**

- Check with `git remote -v`
- The conflict is resolved

```

1 bash-3.2$ cd ../../lesson_owner/planets
2 bash-3.2$ git remote -v
3 origin https://github.com/widdowquinn/planets.git (fetch)
4 origin https://github.com/widdowquinn/planets.git (push)

```

```
5 bash-3.2$ git pull origin master
6 remote: Counting objects: 4, done.
7 remote: Compressing objects: 100% (2/2), done.
8 remote: Total 4 (delta 2), reused 4 (delta 2), pack-reused 0
9 Unpacking objects: 100% (4/4), done.
10 From https://github.com/widdowquinn/planets
11 * branch          master      -> FETCH_HEAD
12   9d2082c..0581d44 master     -> origin/master
13 Updating 9d2082c..0581d44
14 Fast-forward
15 bash-3.2$ git log
16 commit 0581d443b61c2c433b9ab398188eac93b003c57a
17 Merge: 955bfca 9d2082c
18 Author: Leighton Pritchard <leighton.pritchard@hutton.ac.uk>
19 Date:   Sat Oct 15 15:50:54 2016 +0100
20
21     merged changes from GitHub
22
23 commit 955bfca6492367f72f82f44816f979b88141dba4
24 Author: Leighton Pritchard <leighton.pritchard@hutton.ac.uk>
25 Date:   Sat Oct 15 15:44:26 2016 +0100
26
27     adds praise for Pluto
28
29 commit 9d2082c3d0209af6b8e51c01993350f6014610d6
30 Author: Leighton Pritchard <leighton.pritchard@hutton.ac.uk>
31 Date:   Sat Oct 15 15:42:48 2016 +0100
32
33     add slander against Pluto
34
35 commit a416b49acd10498530ed6efd74bd1261af88e306
36 Author: Leighton Pritchard <leighton.pritchard@hutton.ac.uk>
37 Date:   Sat Oct 15 15:35:55 2016 +0100
38
39     add notes on Pluto
40
41 commit b9cf6a312eb223b09bd4dbacf7d8513c8e394fe1
42 Author: Leighton Pritchard <leighton.pritchard@hutton.ac.uk>
43 Date:   Sat Oct 15 15:12:54 2016 +0100
44
45     add .gitignore file
46
47 commit 68d0ec8ed8cdf90cd468e26c2a3615638b1a0b3
48 Author: Leighton Pritchard <leighton.pritchard@hutton.ac.uk>
49 Date:   Sat Oct 15 14:54:11 2016 +0100
50
51     add notes on Earth, and Mars cleaning
52
53 commit 8e848b150c647b576bb9333121264f940416hf01
```

```
54 bash-3.2$ git status
55 # On branch master
56 nothing to commit, working directory clean
57 bash-3.2$ cat mars.txt
58 Cold and dry. Everything a nice colour. Evidence of Matt Damon.
59 Two moons! This might be a problem for werewolves.
60 Not much atmosphere, mind. Windy.
61 Dusty. Bring a Hoover. Or a Dyson.
62 Definitely a planet. Not like that space rock, Pluto!
```

Wrapping up

- Talk around slide